

Projekt: pora dzienna

Dane do obliczeń :

•ród³a punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	686.4	396.5	1.0	67.3	SC
2	687.0	388.0	1.0	67.3	SC
3	687.2	378.4	1.0	67.3	SC
4	687.2	368.2	1.0	67.3	SC
5	687.0	357.3	1.0	67.3	SC
6	687.2	345.4	1.0	67.3	SC
7	687.0	333.6	1.0	67.3	SC
8	681.4	322.2	1.0	67.3	SC
9	670.2	319.5	1.0	67.3	SC
10	656.2	319.7	1.0	67.3	SC
11	641.3	320.2	1.0	67.3	SC
12	626.1	320.2	1.0	67.3	SC
13	613.9	320.0	1.0	67.3	SC
14	599.0	320.5	1.0	67.3	SC
15	589.6	320.5	1.0	67.3	SC
16	604.3	334.4	1.0	67.3	SC
17	605.0	346.6	1.0	67.3	SC
18	606.1	359.8	1.0	67.3	SC
19	606.9	374.2	1.0	67.3	SC
20	608.0	387.2	1.0	67.3	SC
21	595.2	338.1	1.0	100.0	SL
22	624.5	378.3	2.0	75.0	KFI
23	613.4	376.2	2.0	75.0	KFI
24	622.2	368.1	2.0	75.0	KFI
25	613.3	364.6	2.0	75.0	KFI
26	624.2	361.4	2.0	75.0	KFI
27	615.3	354.4	2.0	75.0	KFI
28	648.4	332.7	3.5	93.0	SKG-I
29	646.0	334.5	1.0	85.0	CKG-I
30	650.9	334.6	1.0	85.0	CKG-I
31	639.4	333.2	1.0	60.0	K-I
32	629.6	368.3	1.0	75.0	W-I
33	628.1	373.8	2.0	75.0	U-I
34	642.7	332.2	2.0	90.0	SU-I
35	652.6	332.8	3.5	93.0	SKG-P1
36	646.7	331.3	1.0	85.0	CKG-P1
37	651.8	331.4	1.0	85.0	CKG-P1
38	624.6	297.2	2.0	75.0	KF-P2
39	626.1	277.4	2.0	75.0	KF-P2
40	641.2	295.0	2.0	75.0	KF-P2
41	650.7	306.7	2.0	75.0	KF-P2
42	653.7	287.2	2.0	75.0	KF-P2
43	670.4	298.4	2.0	75.0	KF-P2
44	709.7	301.7	2.0	75.0	KF-P2
45	712.5	282.6	2.0	75.0	KF-P2
46	729.6	292.1	2.0	75.0	KF-P2
47	709.4	329.8	2.0	75.0	KF-P2
48	712.4	310.4	2.0	75.0	KF-P2

49	730.1	319.2	2.0	75.0	KF-P2
50	678.6	263.0	3.5	93.0	SKG-P2
51	685.5	263.6	3.5	93.0	SKG-P2
52	713.9	263.9	3.5	93.0	SKG-P2
53	720.8	263.4	3.5	93.0	SKG-P2
54	680.9	268.6	1.0	85.0	CKG-P2
55	681.0	264.0	1.0	85.0	CKG-P2
56	687.9	269.0	1.0	85.0	CKG-P2
57	687.8	265.0	1.0	85.0	CKG-P2
58	715.7	268.8	1.0	85.0	CKG-P2
59	715.5	265.4	1.0	85.0	CKG-P2
60	723.2	269.2	1.0	85.0	CKG-P2
61	723.0	265.4	1.0	85.0	CKG-P2
62	673.7	263.8	2.0	90.0	SU-P2
63	709.5	263.6	2.0	90.0	SU-P2
64	674.0	266.2	2.0	60.0	K-P2
65	709.1	266.4	2.0	60.0	K-P2

•ród³a typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	714.4	356.5	732.4	356.0	727.4	368.5	714.3	373.7	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr	Źród³a	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	sc.1 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000

	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
4	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
5	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
6	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000

	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
7	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
8	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
9	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
10	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000

		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
11	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
12	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
13	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr	Źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
14	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											

Ekran akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1 [m]	Y1 [m]	X2 [m]	Y2 [m]	X3 [m]	Y3 [m]	X4 [m]	Y4 [m]	h0 [m]	h [m]
1	421.2	384.6	431.0	358.0	444.0	362.2	433.8	389.4	0.0	9.8
2	383.2	434.0	390.8	410.4	396.8	412.2	388.8	435.6	0.0	3.8
3	364.4	354.0	369.4	338.8	399.0	348.6	394.0	363.4	0.0	6.2
4	433.2	274.8	448.8	228.6	460.6	233.0	443.6	279.0	0.0	17.2
5	235.8	399.8	194.6	386.6	213.4	334.2	252.2	348.8	0.0	13.5
6	306.8	332.8	309.4	323.6	327.0	329.0	323.4	338.4	0.0	5.5
7	277.4	323.4	292.4	278.2	310.2	284.2	295.2	329.0	0.0	4.6
8	279.8	274.2	284.2	260.8	311.0	270.6	306.6	283.2	0.0	7.6
9	213.2	217.6	218.0	203.0	309.0	237.0	303.6	251.6	0.0	6.8
10	266.0	85.0	269.4	75.8	280.2	79.8	277.2	89.0	0.0	5.2
11	280.0	127.2	286.8	104.8	294.0	107.4	287.4	129.4	0.0	4.0
12	460.8	184.4	509.6	220.0	510.0	218.8	460.4	182.8	0.0	6.0
13	190.8	371.2	204.5	330.5	203.4	330.1	189.4	371.5	0.0	3.0
14	312.7	72.0	346.3	96.3	346.0	96.5	312.2	72.5	0.0	4.5


WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000
14	1.0000	1.0000	1.0000	1.0000	1.0000

Punkty obserwacji

Nr	Symbol	X [m]	Y [m]	z [m]
1		327.0	454.2	4.0
2		474.4	186.4	4.0
3		512.2	174.6	4.0
4		321.4	77.6	4.0
5		344.6	54.9	4.0
6		76.2	281.4	4.0
7		65.9	283.7	4.0
8		70.8	360.2	4.0
9		24.9	376.7	4.0
10		502.9	507.7	4.0
11		515.9	518.1	4.0
12		585.0	423.8	4.0
13		605.5	442.5	4.0
14		531.0	291.7	4.0
15		637.2	360.1	4.0

Mapa emisji hałasu - pora dzienna



Projekt: pora nocna

Dane do obliczeń :

•ród³a punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	686.4	396.5	1.0	0.0	SC
2	687.0	388.0	1.0	0.0	SC
3	687.2	378.4	1.0	0.0	SC
4	687.2	368.2	1.0	0.0	SC
5	687.0	357.3	1.0	0.0	SC
6	687.2	345.4	1.0	0.0	SC
7	687.0	333.6	1.0	0.0	SC
8	681.4	322.2	1.0	0.0	SC
9	670.2	319.5	1.0	0.0	SC
10	656.2	319.7	1.0	0.0	SC
11	641.3	320.2	1.0	0.0	SC
12	626.1	320.2	1.0	0.0	SC
13	613.9	320.0	1.0	0.0	SC
14	599.0	320.5	1.0	0.0	SC
15	589.6	320.5	1.0	0.0	SC
16	604.3	334.4	1.0	0.0	SC
17	605.0	346.6	1.0	0.0	SC
18	606.1	359.8	1.0	0.0	SC
19	606.9	374.2	1.0	0.0	SC
20	608.0	387.2	1.0	0.0	SC
21	595.2	338.1	1.0	0.0	SL
22	624.5	378.3	2.0	75.0	KFI
23	613.4	376.2	2.0	75.0	KFI
24	622.2	368.1	2.0	75.0	KFI
25	613.3	364.6	2.0	75.0	KFI
26	624.2	361.4	2.0	75.0	KFI
27	615.3	354.4	2.0	75.0	KFI
28	648.4	332.7	3.5	93.0	SKG-I
29	646.0	334.5	1.0	85.0	CKG-I
30	650.9	334.6	1.0	85.0	CKG-I
31	639.4	333.2	1.0	60.0	K-I
32	629.6	368.3	1.0	75.0	W-I
33	628.1	373.8	2.0	75.0	U-I
34	642.7	332.2	2.0	90.0	SU-I
35	652.6	332.8	3.5	93.0	SKG-P1
36	646.7	331.3	1.0	85.0	CKG-P1
37	651.8	331.4	1.0	85.0	CKG-P1
38	624.6	297.2	2.0	75.0	KF-P2
39	626.1	277.4	2.0	75.0	KF-P2
40	641.2	295.0	2.0	75.0	KF-P2
41	650.7	306.7	2.0	75.0	KF-P2
42	653.7	287.2	2.0	75.0	KF-P2
43	670.4	298.4	2.0	75.0	KF-P2
44	709.7	301.7	2.0	75.0	KF-P2
45	712.5	282.6	2.0	75.0	KF-P2
46	729.6	292.1	2.0	75.0	KF-P2
47	709.4	329.8	2.0	75.0	KF-P2
48	712.4	310.4	2.0	75.0	KF-P2

49	730.1	319.2	2.0	75.0	KF-P2
50	678.6	263.0	3.5	93.0	SKG-P2
51	685.5	263.6	3.5	93.0	SKG-P2
52	713.9	263.9	3.5	93.0	SKG-P2
53	720.8	263.4	3.5	93.0	SKG-P2
54	680.9	268.6	1.0	85.0	CKG-P2
55	681.0	264.0	1.0	85.0	CKG-P2
56	687.9	269.0	1.0	85.0	CKG-P2
57	687.8	265.0	1.0	85.0	CKG-P2
58	715.7	268.8	1.0	85.0	CKG-P2
59	715.5	265.4	1.0	85.0	CKG-P2
60	723.2	269.2	1.0	85.0	CKG-P2
61	723.0	265.4	1.0	85.0	CKG-P2
62	673.7	263.8	2.0	90.0	SU-P2
63	709.5	263.6	2.0	90.0	SU-P2
64	674.0	266.2	2.0	60.0	K-P2
65	709.1	266.4	2.0	60.0	K-P2
66	674.2	269.4	1.0	75.0	W-P2
67	709.4	269.9	1.0	75.0	W-P2
68	621.0	302.6	2.0	75.0	U-P2
69	703.2	311.0	2.0	75.0	U-P2

•ród³a typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	714.4	356.5	732.4	356.0	727.4	368.5	714.3	373.7	0.0	0.0

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr	Źród³a	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	609.6	340.0	622.2	339.9	622.2	352.2	613.6	348.6	0.0	8.0
2	622.2	339.9	634.3	339.6	631.2	348.3	622.2	352.0	0.0	8.0
3	622.2	339.9	609.5	339.9	612.4	331.1	621.9	327.1	0.0	8.0
4	622.2	339.8	622.0	327.0	630.3	330.4	634.3	339.5	0.0	8.0
5	612.7	374.6	619.4	374.8	619.6	381.1	615.0	378.9	0.0	5.0
6	619.4	374.8	626.3	374.6	624.2	378.6	619.6	381.0	0.0	5.0
7	619.4	374.8	612.7	374.6	614.4	369.5	619.4	367.3	0.0	5.0

8	619.4	374.8	619.4	367.1	624.2	369.4	626.3	374.7	0.0	5.0
9	611.6	360.3	618.2	360.2	618.3	366.3	613.4	364.4	0.0	5.0
10	611.8	360.2	612.6	355.8	617.9	353.5	618.1	360.2	0.0	5.0
11	618.2	360.2	624.6	360.2	622.6	364.0	618.3	366.3	0.0	5.0
12	618.0	353.4	622.6	355.5	624.6	360.2	618.1	360.2	0.0	5.0
13	579.4	287.6	597.0	287.5	597.4	305.4	584.4	300.0	0.0	8.0
14	597.0	287.4	615.3	287.4	609.9	300.5	597.5	305.5	0.0	8.0
15	597.2	287.4	579.3	287.6	583.0	276.1	596.4	269.4	0.0	8.0
16	597.0	287.4	596.6	269.3	610.2	274.6	615.4	287.4	0.0	8.0
17	620.2	287.5	631.7	287.4	632.0	300.1	623.1	296.3	0.0	8.0
18	631.7	287.3	632.0	300.0	640.4	296.2	644.1	286.7	0.0	8.0
19	631.8	287.4	620.7	287.6	623.7	279.0	631.0	275.5	0.0	8.0
20	631.7	287.2	643.8	286.8	639.4	278.5	631.1	275.5	0.0	8.0
21	646.4	298.0	658.7	297.4	658.8	309.5	649.8	306.2	0.0	8.0
22	658.8	297.2	658.7	309.1	667.8	305.5	670.6	297.2	0.0	8.0
23	658.7	297.2	646.5	298.0	649.4	289.4	658.5	285.5	0.0	8.0
24	658.8	297.1	670.7	297.1	667.5	289.4	658.7	285.6	0.0	8.0
25	696.8	356.8	714.3	356.5	714.2	373.9	700.8	367.8	0.0	8.0
26	714.4	356.5	696.9	356.6	700.4	344.4	714.6	337.9	0.0	8.0
27	714.4	356.5	732.5	356.0	727.6	343.8	714.8	337.9	0.0	8.0
28	705.8	321.2	717.9	320.6	718.1	333.1	708.9	329.3	0.0	8.0
29	717.9	320.5	718.1	332.9	726.0	329.4	730.0	320.3	0.0	8.0
30	717.8	320.6	705.9	321.1	709.0	312.2	717.5	309.0	0.0	8.0
31	717.9	320.6	717.6	308.8	726.2	312.2	730.2	320.3	0.0	8.0
32	705.5	293.3	717.9	293.0	717.9	305.0	708.6	301.0	0.0	8.0
33	718.0	292.9	705.6	293.2	708.0	285.4	718.0	280.8	0.0	8.0
34	718.0	292.9	717.9	304.8	726.9	300.6	730.0	292.9	0.0	8.0
35	718.0	292.9	717.9	280.9	726.2	284.3	730.0	292.9	0.0	8.0

WSPÓŁCZYNNIKI ODBICIA DLA ŁECIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000
14	1.0000	1.0000	1.0000	1.0000	1.0000
15	1.0000	1.0000	1.0000	1.0000	1.0000
16	1.0000	1.0000	1.0000	1.0000	1.0000
17	1.0000	1.0000	1.0000	1.0000	1.0000
18	1.0000	1.0000	1.0000	1.0000	1.0000
19	1.0000	1.0000	1.0000	1.0000	1.0000
20	1.0000	1.0000	1.0000	1.0000	1.0000
21	1.0000	1.0000	1.0000	1.0000	1.0000
22	1.0000	1.0000	1.0000	1.0000	1.0000
23	1.0000	1.0000	1.0000	1.0000	1.0000

24	1.0000	1.0000	1.0000	1.0000	1.0000
25	1.0000	1.0000	1.0000	1.0000	1.0000
26	1.0000	1.0000	1.0000	1.0000	1.0000
27	1.0000	1.0000	1.0000	1.0000	1.0000
28	1.0000	1.0000	1.0000	1.0000	1.0000
29	1.0000	1.0000	1.0000	1.0000	1.0000
30	1.0000	1.0000	1.0000	1.0000	1.0000
31	1.0000	1.0000	1.0000	1.0000	1.0000
32	1.0000	1.0000	1.0000	1.0000	1.0000
33	1.0000	1.0000	1.0000	1.0000	1.0000
34	1.0000	1.0000	1.0000	1.0000	1.0000
35	1.0000	1.0000	1.0000	1.0000	1.0000

=====

Punkty obserwacji

Nr	Symbol	X [m]	Y [m]	z [m]

1		281.2	634.2	4.0

Mapa emisji hałasu - pora nocna

